

Using Vetiver Technology for Watershed Management for Water Quality Improvement

Mohammad H. Golabi

Associate Professor of Soil and Environmental Sciences

Clancy Iyekar

Graduate Student

College of Natural and Applied Sciences
University of Guam

Dwayne Minton

Ecologist, US-Forestry Division in the Pacific

David Limtiaco

Forestry Div., Dept of Agriculture

WHERE IS GUAM?









Human Activities



The Problem

Soil erosion as the result of the burning and other human activities is the principle anthropogenic threat to the coral reefs in the Pacific Islands.

Sediment loss due to erosion clogs rivers, lakes, waterways and more importantly damages the coral reef that is the major attraction for the tourist.

- Sediment loss also reduces the water storage capacity of reservoirs and canals and increases flooding.

Challenges Facing Guam's Soil and Environmental Scientists

- Soil and environmental scientists and managers must develop strategies to control erosion on the farms, rangelands as well as the watershed areas
- New techniques must be introduced and examined for soil conservation and natural resources protection

Research Objectives

- Evaluate the effect of Vetiver grass to prevent sediment loss and control soil erosion at the watershed level
- Hence better the health of reef ecosystem of the Island.

Project Importance


- Watershed Degradation
- Water Quality Problems
- Limited Water Sources
- Coral Reef Degradation
- Economic Impacts

Mud in Pauliluc Bay



Courtesy of Dr. Minton, NPS

Healthy Coral Reef



Courtesy of Dr. Minton, NPS

Coral Reef Degradation As the Result of Severe Soil Erosion



Courtesy of Dr. Minton, NPS



**Use of Vetiver Technology
For
Trapping sediment
At the
Watershed level.**

What Is Vetiver Grass

- Scientific Name; *Vetiveria Zizanioides*



Vetiver in Nature

Seedlings



Vetiver Origin

Mainly mass produced in Thailand

Also found and Used In:

- * China
- * Australia
- * Madagascar
- * Persia
- * Indonesia
- * South Africa
- * Guam

Special Characteristics

- Adoptable to Various Soil Conditions:

- * Low pH: < 4
 - * High pH: > 12

- Able to take up heavy metals

- * Zn, As, Mn, Cu, Al, & Pb

- Water Purifier (Sediment & Nutrients)

- * Nitrates & Phosphates

Vetiver Root System

- Scientific Name; *Vetiveria Zizanioides*



Comparison between Common Savanna Sword Grass and Vetiver grass Root systems

Local Sword Grass



Vetiver Grass



Main Uses

Badland



Six Months after Planting



End Goal

Stop Erosion From Source

Stop Major Sediment Outfalls



Case Study

Use of Vetiver Technology to control erosion as a watershed management strategy for water quality improvement and natural resource preservation

Methodology

Four flumes (72ft X 5.5ft) are installed on a uniformly sloped selected watershed area for measuring the runoff and to estimate the sedimentation rate under four different treatments.

Treatments are:

- 1) 'as it is condition',
- 2) 'competently exposed condition',
- 3) 'burned' and
- 4) '**Vetiver grass establishment**' as the sediment a trapping technique.

Methodology Cont'd

Sets of suspended runoff/sediment samplers are constructed in a runoff-collecting tank placed at the bottom of each treatment plots for the measurement of sediment discharge as well as runoff assessment.

Samples are used to measure the turbidity and the amount of sediment collected under each treatment.



Cross Island Road Project (4 treatments)

Burned



Vetiver & Sunn Hemp



Tilled



Natural Cover



Flume & Sampling Setup

Flume Drain



Sampling Design



Sampling Protocol



Tank Drainage




RESULTS

The background of the slide features a pattern of stylized autumn leaves in various shades of orange, brown, and tan. The leaves are scattered across the page, with some showing prominent veins. The overall color palette is warm and monochromatic, typical of a fall-themed presentation.

Initial soil characteristics				Management Practices	Soil characteristics as affected by study treatments			
O.M. (%)	Soil Texture (%)				Soil Texture (%)			Avg. % O.M.
	Clay	Sand	Silt		Clay	Sand	Silt	
3.9	54.4	24.9	20.7	Burn	57.2	20.5	22.3	5.1
3.9	54.4	24.9	20.7	Vetiver	51.8	28.2	20.0	5.4
3.9	54.4	24.9	20.7	Till	54.8	26.1	19.1	3.0
3.9	54.4	24.9	20.7	Natural	56.8	25.7	17.5	3.8

Table 1.: Soil characterization prior and following the treatments.


Soil Loss vs. Rainfall



Size and slope of the study plots			Management practices (Soil surface conditions)	Soil loss (tons/ha/yr)
Area ha	Length m	Slope %		
0.0037	21.95	12	Burn	14.13
0.0037	21.95	12	Vetiver	1.47
0.0037	21.95	12	Till	104.75
0.0037	21.95	12	Natural	5.22

Table 2: Annual Soil loss from each plot with different treatments.

Run-Off vs. Turbidity



Vetiver



Natural



Burn



Bare Soil



Concluding Remarks

- Vetiver Technology is viable system for mitigating sedimentation at the watershed level for the water quality improvement and environmental preservation

Concluding Remarks (cont'd)

Preserving natural resources and
Maintaining cleaner environment requires:

- Highly coordinated holistic approach towards natural resource management that include:
 - Soil
 - Water
 - Rangelands
 - Forests
 - And watershed protection

Other Related Projects

- Use of Vetiver System for shoreline erosion control.
- Use of Vetiver System as a bioremediation technique for reducing and/or eliminating the contaminants (i.e. N, P) from wastewater before entering the ocean.
- Vetiver growth performance in different media: distilled water, wastewater effluent, and ocean water – all with and without fertilizers.



Thank You